RESTORATION: ANTERIOR COMPOSITE

ADEX 2024

Tooth #:				
М	D	F	L	

CRITICAL ERRORS				
The restoration is debonded and/or movable in the preparation		Yes		
The restoration is fractured		Yes		

ACC= Adheres to Criteria SUB= Marginally Substandard **DEF= Critically Deficient** MARGIN INTEGRITY AND SURFACE FINISH Margin Excess/Deficiency A. No marginal deficiency. There is no evidence of pits and/or voids at the cavosurface margin. ACC B. Marginal excess ≤ 0.5 mm at the restoration-tooth interface, detectable either visually or with the tine of an explorer. A. DEFICIENCY: The restoration-tooth interface is detectable visually or with the tine of an explorer, and there is evidence of marginal deficiency ≤ 0.5 mm, which can include pits and/or voids at the cavosurface margin. SUB B. EXCESS: The restoration-tooth interface is detectable visually or with the tine of an explorer, and there is evidence of mar ginal excess > 0.5 mm but ≤ 1.0 mm. There is flash with or without contamination underneath, but it is not internal to the cavosurface margin and could be removed by polishing or finishing. A. There is evidence of marginal deficiency of > 0.5 mm, to include pits and voids at the cavosurface margin, and/or there is an DEF open margin, and/or there is internal contamination at the interface between the restoration and the teeth. B. There is a margin excess (excluding bonding agent or unfilled resin) of > 1.0 mm. Adjacent Tooth Structure There is no or minimal evidence of unwarranted or unnecessary removal, modification, or recontouring of tooth structure adja-ACC cent to the restoration. (Enameloplasty) DEF There is gross enameloplasty. CONTOUR, CONTACT, AND OCCLUSION **Interproximal Contact** Interproximal contact is visually closed, and the contact is adequate in size, shape, or position but may demonstrate little ACC resistance to dental floss. A. The interproximal contact is visually open or concave/irregular, allowing for food impaction. DEF B. The interproximal contact will not allow floss to pass.

When checked with articulating ribbon paper, all centric and excursive contacts on the restoration are consistent in size, shape,

When checked with articulating paper, the restoration is in hyper-occlusion, making it inconsistent in size, shape, and intensity

Centric/Excursive Contacts

and intensity with such contacts on other teeth in that quadrant.

with the occlusal contacts on surrounding teeth, and it requires adjustment.

There is gross hyper-occlusion so that the restoration is the only point of occlusion in that quadrant.

ACC

SUB

DEF

Restoration: Anterior Composite - continued

TREATMENT MANAGEMENT		
Adjacent Tooth Damage		
ACC	Any damage to adjacent tooth/teeth can be removed with polishing without adversely altering the shape of the contour and/or contact.	
DEF	There is evidence of gross damage and/or alteration to adjacent and/or opposing hard tissue inconsistent with the procedure.	
Soft Tissue Damage		
ACC	The soft tissue is free from damage, or there is tissue damage that is consistent with the procedure.	
DEF	F There is gross iatrogenic damage to the soft tissue inconsistent with the procedure and pre-existing condition of the soft tissue	