## CDCA WREB SCITA

## LOCAL ANESTHESIA CANDIDATE CLINICAL PERFORMANCE EVALUATION

## FOR MOCK BOARD TESTING ONLY

| EX# 1 |  |  | EX# 2 |  |  |  |
|-------|--|--|-------|--|--|--|

EXAM SITE\_

DATE

CAN ID\_ SUBMISSION\_

**CANDIDATE** 

ID LABEL

| CATEGORIES          |                        | IA & PSA                                  |  |  |  |  |  |  |  |
|---------------------|------------------------|---|--|--|--|--|--|--|--|
| *1. Medical History |                        | Younger than 18                           | Dentist, dental hygienist, educator    | High Blood Pressure  Heart attack, stroke, cardiac |  |  |  |  |  |
|                     |                        | Health condition/medication               | h condition/medication Active tb       |  |  |  |  |  |  |
|                     | No medical clearance p |   | Cocaine within 24 hrs.                 | ASA Class III that poses risk                      |  |  |  |  |  |
|                     |                        | IV bisphosphonate current or past history | Absolute contraindication to anes/vaso |  |  |  |  |  |  |
| 6475000156          | <u> </u>               |   | lalı l                                 | D0.4   |  |  |  |  |  |
| CATEGORIES          | RL                     | IA  | RL                                     | PSA  |  |  |  |  |  |

| CATEGORIES                | R L | IA   | RL | PSA  |  |
|---------------------------|-----|--|----|--|--|
| *1. Oral Conditions       |     | Missing mandibular premolars contralateral side                        |    | Missing maxillary second molar   |  |
|                           |     | Intraoral sore/puncture mark at injection site                         |    | Intraoral sore/puncture mark at injection site                         |  |
|                           |     | Orofacial herpes   |    | Orofacial herpes   |  |
| *1. Anesthetic &          |     | Long acting anesthetic   |    | Long acting anesthetic   |  |
| Syringe Selection         |     | High concentration vasoconstrictor                                     |    | High concentration vasoconstrictor                                     |  |
|                           |     | Self-aspirating, non-threaded syringe                                  |    | Self-aspirating, non-threaded syringe                                  |  |
| 2. Syringe                |     | Incorrect armamentarium  |    | Incorrect armamentarium  |  |
| Preparation               |     | Syringe improperly prepared  |    | Syringe improperly prepared  |  |
| and Handling <sup>1</sup> |     | Syringe in patient's site  |    | Syringe in patient's site  |  |
| *3. Penetration           |     | Contaminated needle  |    | Contaminated needle  |  |
| Site                      |     | 3 unsuccessful penetrations  |    | 3 unsuccessful penetrations  |  |
|                           |     | Too superior   |    | Too anterior   |  |
|                           |     | Too inferior   |    | Too posterior  |  |
|                           |     | Too medial Too lateral   |    | Not in mucobuccal fold   |  |
|                           |     |  |    |  |  |
| *4. Angle                 |     | Barrel too distal  |    |  |  |
| And Depth                 |     | Barrel too mesial  |    | Barrel of the syringe not at 45-degree angle                           |  |
|                           |     | Angle too high   |    | to the midline and/or 45-degree angle to the occlusal plane            |  |
|                           |     | Angle too low  |    |  |  |
|                           |     | Too shallow  |    | Too shallow  |  |
|                           |     | Too deep   |    | Too deep   |  |
| *5. Aspiration            |     | Small window is toward Candidate                                       |    | Small window is toward Candidate                                       |  |
|                           |     | No aspiration observed   |    | No aspiration observed   |  |
|                           |     | Improper handling of positive aspiration                               |    | Improper handling of positive aspiration                               |  |
| *6. Amount                |     | Too much anesthetic before aspiration                                  |    | Too much anesthetic before aspiration                                  |  |
| And Rate                  |     | Too fast   |    | Too fast   |  |
| *7. Tissue Management     |     | Excessive bending/bowing of the needle or tearing/laceration of tissue |    | Excessive bending/bowing of the needle or tearing/laceration of tissue |  |
| *8. Recapping             |     | Improper recapping   |    | Improper recapping   |  |
| *9. Sharps Disposal       |     | Improper disposal  | 1  | Improper disposal  |  |
|                           |     | □ PASS □ FAIL  |    | □ PASS □ FAIL  |  |

<sup>&</sup>lt;sup>1</sup>Three (3) validated errors in Category 2—Syringe Preparation and Handling constitutes failure of the examination.